




QTY -041	P/N	DESCRIPTION
X	D5737-041	FWD WEARPLATE ASSY, LH
1	D5737-1	FWD WEARPLATE
2	D5738-041	FWD WEARBAR ASSY
1	D5617-1	CLAMP
1	D5678-1	NUT



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING PER DART QSI 005 4.9
MASK D5617-1 CLAMPS PRIOR TO FINISH
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5737-041" AND S/N PER DART QSI 044 6.1
- 7) WEIGHT: 3.38 lbs
- 8) WELD PER DART QSI 004
- 9) ENSURE WELDED CLAMP FITS AROUND A 3.62 DIAMETER WITH 0.375-0.500 THREADS EXPOSED WHEN SNUG
- 10) INSTALL HAND TIGHT ONLY
- 11) TRANSFER DRILL $\varnothing 0.188$ DRAIN HOLES FROM WEARPLATE THRU WEARBAR, OPEN HOLES TO $\varnothing 0.188$ AFTER FINISH IF REQUIRED




RELEASED

2020 FEB 18
RCW2020-S11

APPROVED

B	UPDATE PER CONFORMITY INSPECTION	SAD	19.12.19
A	NEW ISSUE	ZF	19.08.22
REV.	DESCRIPTION		DATE
DESIGN	ZF	DART AEROSPACE USA, INC. HILLSBORO, OR	
DRAWN	SAD		
CHECKED	NO	DRAWING NO.	REV. B
MFG. APPR.	SAD	D5737	SHEET 1 OF 9
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	TRAINING WEARPLATES	NTS
DATE	19.12.19	COPYRIGHT © 2019 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

QTY -042	P/N	DESCRIPTION
X	D5737-042	FWD WEARPLATE ASSY, RH
1	D5737-1	FWD WEARPLATE
2	D5738-041	FWD WEARBAR ASSY
1	D5617-1	CLAMP
1	D5678-1	NUT



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING PER DART QSI 005 4.9
MASK D5617-1 CLAMPS PRIOR TO FINISH
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5737-042" AND S/N PER DART QSI 044 6.1
- 7) WEIGHT: 3.38 lbs
- 8) WELD PER DART QSI 004
- 9) ENSURE WELDED CLAMP FITS AROUND A 3.62 DIAMETER WITH 0.375-0.500 THREADS EXPOSED WHEN SNUG
- 10) INSTALL HAND TIGHT ONLY
- 11) TRANSFER DRILL $\varnothing 0.188$ DRAIN HOLES FROM WEARPLATE THRU WEARBAR, OPEN HOLES TO $\varnothing 0.188$ AFTER FINISH IF REQUIRED


RELEASED

2020 FEB 18

APPROVED

DESIGN	ZF	DART AEROSPACE USA, INC. HILLSBORO, OR	
DRAWN	SAD		
CHECKED	NO	DRAWING NO.	REV. B
MFG. APPR.	SAD	D5737	SHEET 2 OF 9
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	TRAINING WEARPLATES	NTS
DATE	19.12.19	COPYRIGHT © 2019 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

QTY -043	P/N	DESCRIPTION
X	D5737-043	MID WEARPLATE ASSY
1	D5737-3	MID WEARPLATE
2	D5738-043	MID WEARBAR ASSY
4	D5617-1	CLAMP
4	D5678-1	NUT



D5737-043 MID WEARPLATE ASSY


- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING PER DART QSI 005 4.9
MASK D5617-1 CLAMPS PRIOR TO FINISH
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5737-043" AND S/N PER DART QSI 044 6.1
 - 7) WEIGHT: 12.19 lbs
 - 8) WELD PER DART QSI 004
 - 9) ENSURE WELDED CLAMP FITS AROUND A 3.62 DIAMETER WITH 0.375-0.500 THREADS EXPOSED WHEN SNUG
 - 10) INSTALL HAND TIGHT ONLY
 - 11) TRANSFER DRILL \varnothing 0.188 DRAIN HOLES FROM WEARPLATE THRU WEARBAR, OPEN HOLES TO \varnothing 0.188 AFTER FINISH IF REQUIRED

RELEASED
2020 FEB 18 W9

APPROVED

DESIGN	ZF	DART AEROSPACE USA, INC. HILLSBORO, OR	
DRAWN	SAD		
CHECKED	NO	DRAWING NO.	REV. B
MFG. APPR.	SAD	D5737	SHEET 3 OF 9
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	TRAINING WEARPLATES	NTS
DATE	19.12.19	COPYRIGHT © 2019 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

QTY -045	P/N	DESCRIPTION
X	D5737-045	AFT WEARPLATE ASSY
1	D5737-5	AFT WEARPLATE
2	D5738-045	AFT WEARBAR ASSY
1	D5617-1	CLAMP
1	D5678-1	NUT



- NOTES:**
- 1) MATERIAL: N/A
 - 2) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING PER DART QSI 005 4.9
MASK D5617-1 CLAMPS PRIOR TO FINISH
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5737-045" AND S/N PER DART QSI 044 6.1
 - 7) WEIGHT: 5.02 lbs
 - 8) WELD PER DART QSI 004
 - 9) ENSURE WELDED CLAMP FITS AROUND A 3.62 DIAMETER WITH 0.375-0.500 THREADS EXPOSED WHEN SNUG
 - 10) INSTALL HAND TIGHT ONLY
 - 11) TRANSFER DRILL \varnothing 0.188 DRAIN HOLES FROM WEARPLATE THRU WEARBAR, OPEN HOLES TO \varnothing 0.188 AFTER FINISH IF REQUIRED

D5737-045 AFT WEARPLATE ASSY


RELEASED

2020 FEB 18 *ND*

APPROVED

DESIGN	ZF	DART AEROSPACE USA, INC.	
DRAWN	SAD	HILLSBORO, OR	
CHECKED	NO	DRAWING NO.	REV. B
MFG. APPR.	SAD	D5737	SHEET 4 OF 9
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	TRAINING WEARPLATES	NTS
DATE	19.12.19	<small>COPYRIGHT © 2019 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

QTY -046	P/N	DESCRIPTION
X	D5737-046	AFT WEARPLATE ASSY
1	D5737-5	AFT WEARPLATE
2	D5738-045	AFT WEARBAR ASSY
1	D5617-1	CLAMP
1	D5678-1	NUT



D5737-046 AFT WEARPLATE ASSY


- NOTES:**
- 1) MATERIAL: N/A
 - 2) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING PER DART QSI 005 4.9
MASK D5617-1 CLAMPS PRIOR TO FINISH
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5737-046" AND S/N PER DART QSI 044 6.1
 - 7) WEIGHT: 5.02 lbs
 - 8) WELD PER DART QSI 004
 - 9) ENSURE WELDED CLAMP FITS AROUND A 3.62 DIAMETER WITH 0.375-0.500 THREADS EXPOSED WHEN SNUG
 - 10) INSTALL HAND TIGHT ONLY
 - 11) TRANSFER DRILL $\phi 0.188$ DRAIN HOLES FROM WEARPLATE THRU WEARBAR, OPEN HOLES TO $\phi 0.188$ AFTER FINISH IF REQUIRED

RELEASED


2020 FEB 18 NO

APPROVED


DESIGN	ZF	DART AEROSPACE USA, INC. HILLSBORO, OR	
DRAWN	SAD		
CHECKED	NO	DRAWING NO.	REV. B
MFG. APPR.	SAD	D5737	SHEET 5 OF 9
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	TRAINING WEARPLATES	NTS
DATE	19.12.19	COPYRIGHT © 2019 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




SECTION A-A
(EACH SIDE)




SECTION C-C




SECTION D-D




SECTION H-H




SECTION J-J




DETAIL E
(SHOWN FLAT)




DETAIL F
(SHOWN FLAT)



DETAIL G
(SHOWN FLAT)



DETAIL K
(SHOWN FLAT)




SECTION B-B
(D5678-1 OMITTED FOR CLARITY)

RELEASED
2020 FEB 18

APPROVED

DESIGN	ZF	DART AEROSPACE USA, INC. HILLSBORO, OR	
DRAWN	SAD		
CHECKED	NO	DRAWING NO.	REV. B
MFG. APPR.	SAD	D5737	SHEET 6 OF 9
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	TRAINING WEARPLATES	NTS
DATE	19.12.19	COPYRIGHT © 2019 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




- NOTES:
- 1) MATERIAL: AISI 304/316 SS SHEET ANNEALED, 16 GAUGE (0.063) THICK
PER MIL-S-5059 OR AMS 5513 OR AMS 5524 OR ASTM A240 OR ASME SA240
REF DSK194-1F
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 1.02 lbs

RELEASED
2020 FEB 18 MD

APPROVED

DESIGN	ZF	DART AEROSPACE USA, INC. HILLSBORO, OR	
DRAWN	SAD		
CHECKED	NO	DRAWING NO.	REV. B
MFG. APPR.	SAD	D5737	SHEET 7 OF 9
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	TRAINING WEARPLATES	NTS
DATE	19.12.19	COPYRIGHT © 2019 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



D5737-3 MID WEARPLATE


NOTES:

- 1) MATERIAL: AISI 304/316 SS SHEET ANNEALED, 16 GAUGE (0.063) THICK
PER MIL-S-5059 OR AMS 5513 OR AMS 5524 OR ASTM A240 OR ASME SA240
REF DSK194-3F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 3.88 lbs

RELEASED
2020 FEB 18 *WRO*

APPROVED

DESIGN	ZF	DART AEROSPACE USA, INC. HILLSBORO, OR	
DRAWN	SAD		
CHECKED	NO	DRAWING NO.	REV. B
MFG. APPR.	SAD	D5737	SHEET 8 OF 9
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	TRAINING WEARPLATES	NTS
DATE	19.12.19	COPYRIGHT © 2019 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



D5737-5 AFT WEARPLATE

- NOTES:
- 1) MATERIAL: AISI 304/316 SS SHEET ANNEALED, 16 GAUGE (0.063) THICK
PER MIL-S-5059 OR AMS 5513 OR AMS 5524 OR ASTM A240 OR ASME SA240
REF DSK194-5F
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 1.62 lbs

LEASED
2020 FEB 18 NO

APPROVED

DESIGN	ZF	DART AEROSPACE USA, INC.	
DRAWN	SAD	HILLSBORO, OR	
CHECKED	NO	DRAWING NO.	REV. B
MFG. APPR.	SAD	D5737	SHEET 9 OF 9
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	TRAINING WEARPLATES	NTS
DATE	19.12.19	COPYRIGHT © 2019 BY DART AEROSPACE USA, INC.	
		THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	